

## 一、登录云引擎后台 查看redis 数据库索引

The screenshot shows the 'Redis配置' (Redis Configuration) page in the management console. The page has a blue header with navigation links: '管理后台', '首页', '会员', '财务', '业务', '生产', '服务', '备案', '站务', and '系统'. A search bar is on the right. The left sidebar contains various management options, with 'Redis配置' highlighted. The main content area shows the following configuration fields:

- \* Redis服务器地址: 10.44.245.217 (Note: 一般使用内网IP地址, 如Redis服务器与主控部署在同一台服务器, 推荐使用127.0.0.1.)
- \* Redis端口号: 6379 (Note: Redis默认安装端口为6379, 如更改请填写实际redis端口.)
- \* Redis数据库索引: 1 (Note: 一般不用修改, 多套系统请勿使用同一个Redis服务器, 索引值为1-15的整数.)
- \* Redis认证密码: (Note: 如不更改请留空, 请避免使用简单密码, 建议8位以上复杂密码.)

The status is shown as '通信正常' (Communication Normal). Below the configuration fields, there is a '提示说明' (提示说明) section with two points:

- Redis安装参考链接 [文档](#)
- 请勿对外开放Redis防火墙端口, 勿设置过于简单的密码, 防止Redis被入侵后服务器被夺权。

## 二、查看云引擎redis密码

密码存放在网页文档根目录下 `config/database.php`

查看 `REDIS_AUTH` 密码字段

## 三、本地登录redis执行以下操作:

### 1、连接redis

```
./redis-cli
```

### 2、密码验证

```
auth 您的redis密码
```

### 3、选择数据库索引

```
select 10
```

### 4、删除用户的安全锁redis配置

```
del need_security_check_要关闭安全锁的会员id
```

```
del security_model_要关闭安全锁的会员id
```

### 5、返回用户中心 点击关闭安全锁